

Rich Media Studio

Create Dynamic Presentations from this “All-In-One” Device

VBrick's Rich Media Studio is an “all in one” device that captures and delivers live presentations and records them for on-demand playback over IP networks. For the first time, a single device has the power and functionality to easily create presentations with convenient audio/video mixers, pre-configured templates and touch screen commands. The Rich Media Studio combines both the video and xGA/DVI captures into one video stream and deliversthem live or on-demand with enterprise-wide distribution.

Capabilities:

VBrick's Rich Media Studio is the only solution that:

- Combines video inputs and xGA/DVI inputs into one video stream
- Scales enterprise-wide when used with VBrick reflector appliances
- Allows playback on a set top box
- Streams desktop capture at native resolution (up to 1600 x 1200)
- Avoids having to manage hundreds of .jpg snapshots
- Provides picture-in-picture so that streams can be delivered to mobile devices
- Publishes to the Internet via VBrick's VBoss (VBrick Online Streaming Service)
- Provides both PC and Mac compatibility

Benefits:

- Deliver rich media presentations that are bandwidth-friendly: Use the Rich Media Studio to capture live presentations that can be streamed live or on-demand to end users over any IP network through VBrick's Reflector appliance, VOD-WM, or over the Internet through Vboss
- Eliminate expensive A/V equipment: Using multiple audio and video inputs such as DVDs, cameras, computers, or document cameras, a presenter can switch between varieties of inputs to create dynamic presentations
- Easy-to-use pre-sets for one click production: With touch screen commands, pre-configured templates and a press of a button, inputs can be changed and presentations run by virtually anyone
- Create more engaging presentations: Live video, graphic files, PowerPoint presentations and more, are filed and organized for convenient use



Models

- 8000-0156-000 Rich Media Studio

Compatibility


- PC and Mac
- EtherneTV Portal, Scheduler, NVR
- VBrick Reflector Appliances
- Windows Media IP Receiver
- VBrick VOD-WM Video on Demand Server
- VBrick StreamPlayer and StreamPlayer Plus

Key Applications

- Meeting Broadcasts: Executive Broadcasts, Event Broadcasts, Product Launches
- Training and Education: Record live classroom training for students on-demand.
- Rich Media Marketing: Webinars, new product introductions for customers, partners and prospects

Product Datasheet

Rich Media Studio Solution



FEATURES AND SPECIFICATIONS

VGA Input	• Analog RGB & DVI up to 1600x1200 @60Hz	Back Panel I/O	• Analog RGB & DVI up to 1600x1200 @60Hz
Video In	• 2 S-Video • 4 Composite Video	Storage	• 500 GB
Video Out	• Dual DVI (VGA with Adapter)	Optical Drive	• 16X DVD/CD R/RW
Audio In	• 1 Microphone XLR balanced • 2 RCA Stereo unbalanced • 1 XLR Stereo balanced	Dimensions	• W 7.9" x L 12.2" x H 7.3" (W 200 mm x L 310 mm x H 185 mm)
Audio Out	• 1 Stereo XLR balanced	Weight	• 5.5 Kg (12 lbs)
Front Panel I/O	• 2 USB 2.0 ports • 1 Headphone-In • 1 Microphone-In • Firewire/IEEE 1394 port	Power	• 250W Input: 100-240V AC

LTI DataComm
 23020 Eaglewood Ct. #100
 Sterling, VA 20166
 www.ltidata.com
 800-677-5050

Copyright LTI DataComm, 2009.
 All rights reserved.

Solutions to Serve, Solutions for Service